

PRODUCT NAME: 產品名稱	DL-METHIONINE		
QUANTITY 數 量	9MT	MFG. DATE: 生產日期	2015-4-13
Valid period 有 效 期	24 Months	Testing DATE: 檢測日期	2015-4-13
BATCH NO.: 批 號	20150401A	CAS No.:	59-51-8
Standard 標 準	In-House Standard	Standard	AJI-92
TESTING ITEMS 檢 測 項 目	SPECIFICATIONS 規 格 指 標	TESTING RESULTS 檢 測 結 果	
Appearance	White crystals or crystalline powder	Conforms	
Identification	Meets the requirements	Conforms	
State of solution(T430)	≥98.0%	99.2%	
Chloride(Cl)	≤0.020%	<0.020%	
Ammonium(NH4)	≤0.02%	<0.02%	
Sulfate(SO4)	≤0.020%	<0.020%	
Iron(Fe)	≤10ppm	<10ppm	
Heavy metals(Pb)	≤10ppm	<10ppm	
Arsenic(AS2O3)	≤1ppm	<1ppm	
Other amino acids	Not detected	Not detected	
Loss on drying	≤0.30%	0.15%	
Residue on ignition	≤0.10%	0.06%	
Assay	99.0%-100.5%	99.4%	
PH	5.6-6.1	5.9	

重慶福騰醫藥有限公司
CHEMIELIVA PHARMACEUTICAL CO., LTD

Conclusion: This product comply with AJI-92